CONTENTS

Special Issue: Molecular Spectroscopy and Molecular Structure 1991 — Proceedings of the XXth European Congress on Molecular Spectroscopy, which should have been held in Zagreb, Croatia, 25–30 August 1991

Part I, Volume 266

Committees iv
Preface xv
Dedication xvii

Low-frequency in-plane skeletal vibrations of polyene molecules and their amplitudes in the solid state
M. Tasumi, H. Torii (Tokyo, Japan), H. Yoshida and H. Matsuura (Higashi-Hiroshima, Japan) 1
Intermolecular effects on phosphate frequencies in phospholipids—infrared study and ab-initio model calculation
D. Hadži, M. Hodošček, J. Grdadolnik and F. Avbelj (Ljubljana, Slovenia) 9
Isolation and characterisation of some transient complexes of chemical interest using pulsed-nozzle, Fourier-transform microwave spectroscopy
A.C. Legon (Exeter, UK) 21
High resolution NMR using selective excitation
R. Freeman (Cambridge, UK) 39
Structure of excited states and properties of organic dyes
M. Klessinger (Münster, Germany) 53
Some applications of ab initio calculations in molecular spectroscopy
J.R. Durig, M.J. Lee, H.M. Badawi, J.F. Sullivan and D.T. Durig (Columbia, SC, USA) 59
Broad-band spectroscopy of surface electromagnetic waves
G.N. Zhizhin and V.A. Yakovlev (Moscow, USSR) 65
Intermolecular vibrational excitations of tetracene·(rare gas)$_1$ heteroclusters
N. Ben-Horin, U. Even and J. Jortner (Tel Aviv, Israel) 75
Modified carotenoids: spectroscopy and conformation of capsorubin and related end group isomers
H.-D. Martin and Th. Werner (Düsseldorf, Germany) 91
The industrial value of Fourier transform Raman spectroscopy
P.J. Hendra (Southampton, UK) 97
Resonance Raman scattering from simple systems: theory and experiment
M. Ganz, W. Kiefer, A. Materny and P. Vogt (Würzburg, FRG) 115
Two-photon excited luminescence in condensed matters
V.S. Gorelik, A.M. Agaltzov and L.I. Zlobina (Moscow, USSR) 121
Picosecond absorption spectroscopy of polymethine dimers
K.-H. Feller (Jena, Germany), R. Gadonas, V. Krasauskas and A. Pelakauskas (Vilnius, Lithuania) 127
MPI spectroscopy in the region of the 3p Rydberg state of some cycloketones
C. Kosmidis, G. Boulakis, A. Bolovinos, P. Tsekeris (Ioannina, Greece) and P. Brint (Cork, Ireland) 133
Comparison of the coefficients of the transition matrix elements calculated by approximation methods and Morse-potential wavefunctions
L. England-Kretzer (Marburg, FRG) 141
Infrared spectroscopy of vibrational excitons and phase transitions in malononitrile at 141 and 260 K
A. Le Roy, A. Benkhai and R. Guerin (Poitiers, France) 147

Infrared spectroscopic investigation of the effect of temperature on the ν_3 band shapes of CO_2 and N_2O in some liquid alkanes
M. Arroume, A. Idrissi and G. Turrell (Villeneuve d'Ascq, France) 153
Dual fluorescence of a novel carotenoid-like chromophore
H. Bettermann, M. Bienioschek and H. Ippendorf (Düsseldorf, FRG) 159
Vibrational relaxation of three-phonon bound states in crystal CO_2
R. Bini, P.R. Salvi, V. Schettino (Firenze, Italy), H.-J. Jodl (Kaiserslautern, Germany) and N. Orlic (Rijeka, Yugoslavia) 165
Simple results for Raman scattering
S.-Y. Lee (Kent Ridge, Singapore) 171
Infrared spectra of aliphatic amine carbamates and the solution of the inverse spectroscopic problem. Part II
S.A. Stepanyan, L.A. Gribov (Moscow, USSR), S.V. Ribnikar and U.B. Mioč (Belgrade, Yugoslavia) 177
Ab initio molecular orbital calculations of the infrared spectra of hydrogen bonded complexes of water, ammonia and hydroxylamine. Part 10. The intermolecular vibrational modes
G.A. Yeo and T.A. Ford (Johannesburg, South Africa) 183
Characterization of multilayer polymer structures by micro-Raman and micro-FTIR spectroscopies
T. Jawhari and J.M. Pastor (Valladolid, Spain) 205
Infrared spectra of rubidium and cesium diaquatetrachloromanganates. II. External vibrations of the water molecules
V. Stefov, B. Šoptrajanov and V. Petruševski (Skopje, Yugoslavia) 211
Normal coordinate analysis of the halogenated disubstituted benzophenones
V. Volovšek, G. Baranović and L. Columbo (Zagreb, Croatia) 217
Ab-initio atomic charges from atomic polar tensors
M.M.C. Ferreira (Campinas, Brazil) 223
An intra-molecular potential for S_8
E. Venuti (Bologna, Italy), P.R. Salvi and G. Cardini (Firenze, Italy) 229
Calculation of Duschinsky effect in phenol
E. Venuti and G. Marconi (Bologna, Italy) 235
Calculation of ro-vibronic intensities of high-resolution absorption spectra on the base of hamiltonian in the principal axes of inertia
A. Ya. Tsaune and M.P. Dyachenko (Dniepropetrovsk, USSR) 241
The effect of molecular structure on intramolecular anharmonic vibrational mixing and IVR
S. Rashev and N. Nedev (Sofia, Bulgaria) 247
Conformations in unsymmetrically *N*-*n*-propyl-*N*-substituted 2-phenylacetamides
D.G. Antonović, V.E. Vajs, N.D. Stojanović (Belgrade, Yugoslavia), A.D. Nikolić (Novi Sad, Yugoslavia) and S.D. Petrović (Belgrade, Yugoslavia) 255
Conformational study of α and β epimers of 3-phenethyl-3-azabicyclo[3.3.1]nonan-9-ol
M.S. Arias, R. Cordero, E. Gálvez and M. Martínez (Madrid, Spain) 259
Raman spectra and conformational stability of 2-methylpropionyl chloride
G.A. Guirgis (Charleston, SC, USA), H.V. Phan (Orangeburg, SC, USA) and J.R. Durig (Columbia, SC, USA) 265
FT-Raman spectrum and conformational stability of liquid chlorocarbonyl isocyanate
J.F. Sullivan, S.K. Nandy, M.J. Lee and J.R. Durig (Columbia, SC, USA) 271
Conformational stability and structural parameters of 3-fluoropropene and some substituted derivatives
D.T. Durig (Sewanee, TN, USA), T.S. Little, T.G. Costner and J.R. Durig (Columbia, SC, USA) 277
Structural study of 3-α(*p*-tolylamino)-*N*-phenethylnorgranatane
M.J. Fernández, R. Huertas, E. Gálvez, J. Sanz-Aparicio and I. Fonseca (Madrid, Spain) 283
Vibrational spectra and conformations of 2-(bromomethyl)-2-methyl-1,3-dibromopropane

A. Giatial (Bratislava, Czechoslovakia), P. Klaeboe, C.J. Nielsen, V. Sablinskas (Oslo, Norway), R. Piatrik and V. Bobosik (Bratislava, Czechoslovakia) 289

Rovibrational line width of polar diatomic molecules diluted in rare gases. Application to HCl in dense Ar
A. Padilla, J.R. Pérez (Tenerife, Spain), A. Calvo Hernández (Salamanca, Spain) and F. Mauricio (Tenerife, Spain) 295

Quantum calculations of the electro-optical parameters of haloid ethers, esters, amides and carbamates
V.L. Furer (Kazan, USSR) 303

The OD stretching vibrational Raman profile of 1-propanol (OD) in the gas phase
D. Schiel and W. Richter (Braunschweig, FRG) 309

Substituent effect on C=O stretching vibrations in hydantoin derivatives
G. Ušćumlić and M. Mišić-Vuković (Belgrade, Yugoslavia) 315

Vibrational analysis of some cyclopropyl derivatives
V. Mohaček and K. Furić (Zagreb, Croatia) 321

Normal coordinate treatment and conformational analysis of a new type of inorganic polymers: poly(dichlorophosphazene)
D. Bougeard, C. Brémard, R. De Jaeger, A. Deroubaix and Y. Lemmouchi (Villeneuve d'Ascq, France) 327

Vibrational spectra, conformational and normal coordinate analyses for polyaza-polyene linear chain molecules
D. Bougeard, C. Brémard and E. Segaut (Villeneuve d'Ascq, France) 333

Vibrational spectra and normal coordinate analysis of phenol and hydroquinone
M. Kubinyi, F. Billes, A. Grofcsik and G. Keresztury (Budapest, Hungary) 339

Assignment of normal modes for imidazole on the basis of 3-21G and 4-21G ab initio force fields
M. Majoube (Gif sur Yvette, France) and G. Vergoten (Lille, France) 345

Dissociative electron attachment to NH_3, NH_2OH, NH_2NH_2 and NH_2CH_3
T. Yalcin and S. Suzer (Ankara, Turkey) 353

Electronic structure of iron group ions in superconductor
N. Kulagin (Sumy, USSR) and Sh. Kuliev (Zaporozhye, USSR) 357

The dual fluorescence of cyano-5-phenyltetrazoles
M. Kakaš, I. Janić and I. Gúth (Novi Sad, Yugoslavia) 361

Electronic spectra and intramolecular hydrogen-bonding of *N,N'*-disalicyloyl-1,2-ethane-diamine
I. Gúth, I. Janić, M. Kakaš, E. Durendić and T. Surányi (Novi Sad, Yugoslavia) 367

Substituent and pH effects on self-association of pyridine derivatives in aqueous solution. An ultraviolet study
F. Peral (Madrid, Spain) 373

Spectroscopic analysis of molecular structures by theoretical calculations based upon Slater's shielding constants
A. Medved (Zagreb, Yugoslavia) 379

Second order Raman spectra of benzene and hexadeuterobenzene in the gaseous phase
S. Eppinger, A. Rabold (München, FRG), T.N. Misra, S.K. Nandy (Calcutta, India) and H.W. Schrötter (München, FRG) 389

The laser wavelength influence of the ^{13}C separation by the IRMPD of CF_2HCl molecules
I. Deac, V. Cosma and V. Tosa (Cluj-Napoca, Romania) 405

Study of micellar–polyelectrolytic solutions by method of laser luminescence spectroscopy of molecular probe
A.K. Bisenbaev, L.V. Levshin and A.M. Saletsky (Moscow, USSR) 411

Fluorescence spectra of adsorbed heteroaromatic molecules at selective laser excitation
N.P. Smirnova, A.M. Eremenko (Nauki, Ukraine), L.A. Bykovskaya, S.G. Kulikov (Moscow, USSR) and A.A. Chuiko (Nauki, Ukraine) 417

Hyper-Raman intensity calculation of hydrocarbon molecules
N. Svendsen and T. Stroyer-Hansen (Odense, Denmark) 423
Raman nonlinear susceptibilities of polar molecules
P.P. Kircheva (Sofia, Bulgaria) 429

Author Index Volumes 266 and 267 435
Subject Index Volumes 266 and 267 439

Part II, Volume 267

The features of photoacoustic spectra of CdS and GaAs under piezoelectric detection
G.I. Bulakh, O.V. Volchanski and I.Ya. Kucherov (Kiev, USSR) 1
Possibility of photochemical energy storage in the norbornadiene–quadricyclane system. Part II
G.S. Ristić, M.D. Marinković, J.J. Čomor, V.M. Vasić, M.S. Ristić and R.M. Nikolić (Belgrade, Yugoslavia) 7
Mechanism of the two-photon laser assisted reaction of Xe and Cl_2 to form XeCl
Á. Kvaran, W. Huasheng, and J. Pétursson (Reykjavík, Iceland) 13
Conformational influence on hydrogen bond
M. Plass and A. Kolbe (Halle (Saale), Germany) 21
Vapor phase FTIR study of H-bonded complexes of 2,2,2-trifluoroethanol and its deuterated derivatives
J. Marco and J.M. Orza (Madrid, Spain) 33
Raman spectroscopic study of H_2O and D_2O water solutions of glycine
K. Furić, V. Mohaček, M. Bonifačić and I. Štefanić (Zagreb, Croatia) 39
Experimental and theoretical study of molecular H-complexes of ketones with diphenyl-*p*-chlorophenyl carbinol
M.M. Reichstat (Moscow, USSR), S.V. Ribnikar, Lj.J. Bogunović, U.B. Mioč and S. Petrović (Belgrade, Yugoslavia) 45
Hydrogen bonding of *N*-monosubstituted amides. IR and NMR study of *N*-butylbenzamides
A.D. Nikolić, M. Rozsa-Tarjani, A. Komaromi, J. Csanadi (Novi Sad, Yugoslavia) and S.D. Petrović (Beograd, Yugoslavia) 49
Vibrations of hydrogen bonds in hydrogendisulfito and hydrogensulfito complexes
D.K. Breitinger, G. Bauer, M. Raidel, R. Breiter (Erlangen, FRG) and J. Tomkinson (Didcot, UK) 55
Experimental and computer modelling of vibrational spectra of heterogenous complexes of biological macromolecules
Ye.L. Belokour, G.I. Dovbeshko and G.S. Litvinov (Kiev, USSR) 61
Low-frequency vibrational spectra of cytosine monohydrate single crystals
I. Weber and D. Kirin (Zagreb, Croatia) 67
Cis-trans isomerism of the amide bond in EtO–Ac–L–Ala–L–Glu
S. Golič-Grdadolnik, J. Mavri, J. Kidrič and D. Hadži (Ljubljana, Slovenia) 73
Synthesis and structural and conformational study of 3α-methoxycarbonyl-3β-(3′,4′,5′-trimethoxybenzamido)-*N*8-substituted nortropanes
C. Burgos, M.L. Izquierdo, M.S. Arias, E. Gálvez, J. Sanz-Aparicio, I. Fonseca and J. Bellanato (Madrid, Spain) 79
Spectroscopic studies of hydrogen bonding in biological active palladium complexes with diethyl quinolylmethylphosphonates
Lj. Tušek-Božić, I. Matijašić and M. Ćurić (Zagreb, Yugoslavia) 87
Effect of environment on the conformational equilibrium and photoconversions of previtamin D
I.P. Terenetskaya, O.G. Perminova and A.M. Yeremenko (Kiev, USSR) 93
AM1 calculation of the nucleic acid bases structure and vibrational spectra

D.N. Govorun, V.D. Danchuk, Ya.R. Mishchuk, I.V. Kondratyuk, N.F. Radomsky and N.V. Zheltovsky (Kiev, Ukraine) 99
Hole-burning spectroscopy of uroporphyrins
J. Dian, M. Vacha, F. Adamec, M. Ambroz and J. Hala (Prague, Czechoslovakia) 105
Spectroscopic studies of the effect of pH on the interaction between congo red and amyloid-type proteins
A. Elhaddaoui, J.C. Merlin (Villeneuve d'Ascq, France), A. Delacourte (Lille, France) and S. Turrell (Villeneuve d'Ascq, France) 113
Iron (III) porphyrin aggregates grafted on agarose gel as models of hemoglobin degradation products
C. Brémard (Villeneuve d'Ascq, France), J.J. Girerd (Orsay, France), J.C. Merlin and S. Moreau (Villeneuve d'Ascq, France) 117
NMR investigation of non-brominated and brominated epoxy ester prepolymers
M. Žigon, U. Osredkar and A. Šebenik (Ljubljana, Slovenia) 123
Characterization of blocked isocyanates
A. Mirčeva, M. Janežič, M. Žigon and T. Malavašič (Ljubljana, Slovenia) 129
Spectroscopic investigation of pyrolysis products of some polystyrenes
B. Ozden (Orhan), T. Yalcin and S. Suzer (Ankara, Turkey) 135
Metal hexacarbonyls (O) entrapped in zeolite cages: electrostatic field and intermolecular vibrational interactions
H. Boulet-Des Grousilliers, C. Brémard (Villeneuve d'Ascq, France), M. Dauchez and G. Vergoten (Lille, France) 141
Asymmetry of Raman scattering at the surface of opaque crystals
A.Je. Semjonow, A. Lau and L. Holz (Berlin, FRG) 147
The change of Raman scattering in GaAs crystals after UV-excimer laser irradiation
A.Je. Semjonow, A. Lau, K. Lenz (Berlin, FRG), B.D. Nechiporuk, V.V. Strel'chuk and M.Ja. Walakh (Kiev, Ukraine) 155
Spectroscopic observations of temperature and composition effects on tellurium oxyhalide glasses
S. Khatir, F. Romain, P. Conflant, M. Drache (Villeneuve, d'Ascq, France), B. Tanguy, J. Portier, J.-J. Videau (Talence, France) and S. Turrell (Villeneuve d'Ascq, France) 163
A variable temperature Raman and IR study of superionic phase transition in $NH4JO_3 \cdot 2HJO_3$ crystal
G.A. Puchkovskaya and Ju.A. Tarnavskiy (Kiev, Ukraine) 169
Raman scattering in amorphous silicon films
L.P. Avakyants (Moscow, USSR), L.L. Gerasimov, V.S. Gorelik, N.M. Manja (Leninsky, USSR), E.D. Obraztsova (Moscow, USSR) and Yu.I. Plotnikov (Leninsky, USSR) 177
Parallel study of isomorphous compounds as an aid in locating water librational bands
B. Šoptrajanov and M. Trpkovska (Skopje, Yugoslavia) 185
Vibrational spectra of some sulfide minerals from Alšar
M. Trajkovska, B. Šoptrajanov, G. Jovanovski and T. Stafilov (Skopje, Yugoslavia) 191
Monohydrates of the thiosaccharinates of sodium and potassium: spectra–structure correlations
O. Grupče, G. Jovanovski and B. Šoptrajanov (Skopje, Yugoslavia) 197
Vibrational spectra of hexaaqua complexes. II. External motions of water molecules in the spectra of $AlCl_3 \cdot 6H_2O$
V. Stefov, B. Šoptrajanov and V. Petruševski (Skopje, Yugoslavia) 203
Description of molecular distortions. VI. Spectra–structure correlations in orthophosphate compounds
V. Petrusevski and K. Trencevski (Skopje, Yugoslavia) 209
Spectroscopic studies of salts of 4-methyl-benzenesulfonic acid. II. The spectrum of the ammonium ions in ammonium 4-methyl-benzenesulfonate
B. Šoptrajanov, M. Ristova and K. Stojanoski (Skopje, Yugoslavia) 215

Phase transitions in spectroscopy of intercalated crystals with van-der-Waals bonds
I.V. Blonskii, M.I. Bigun and D.D. Kolendritskii (Kiev, USSR) 221
Stacking-fault excitons in layered crystals BiI_3
V.A. Bibik, N.A. Davydova and F.V. Motsnyi (Kiev, Ukraine) 225
Raman spectroscopy of oxide glass system (1-x) ($yB_2O_3 \cdot zLi_2O$)$\cdot xMO$ (MO=CuO, V_2O_5)
T. Iliescu, S. Simon and D. Cãlugăr (Cluj, Romania) 231
Far infrared studies on solid cyclohexane
E. Sciesinska, J. Sciesinski, T. Wasiutynski, M. Godlewsika (Krakow, Poland) and A. Wurflinger (Bochum, Germany) 235
Very low frequency light scattering in glass matrix
K.E. Lipinska-Kalita (Trieste, Italy) and G. Mariotto (Povo (Trento), Italy) 241
Study of molecular dynamics of antimony trichloride in some complexes with aromatic hydrocarbons
A.V. Kondyurin (Perm, USSR), S.N. Mikov and A.T. Kozulin (Ulyanovsk, USSR) 247
Effect of sodium and lanthanides (III) on the aromatic system of nicotinic, benzoic and salicyclic acids
P. Mościbroda, H. Barańska, T. Drapała and W. Lewandowski (Warsaw, Poland) 255
Integrated expert system SCANNET for storage and retrieval of spectral data in analytical chemistry
B. Dębska, and Z.S. Hippe (Rzeszów, Poland) 261
Multiphoton absorption spectra of freon-22 molecules
V. Tosa (Cluj-Napoca, Romania), R. Bruzzese, C. De Lisio and S. Solimeno (Naples, Italy) 269
Raman study of light-induced changes in silicon–hydrogen bond stretching vibration in a-Si:H.
M. Ivanda, O. Gamulin, K. Furić and D. Gracin (Zagreb, Yugoslavia) 275
Surface enhanced Raman scattering of imidazole adsorbed onto silver colloidal particles
M. Muniz-Miranda, N. Neto and G. Sbrana (Firenze, Italy) 281
SERS study of the complexes of thiamine derivatives with pyruvate
N.D. Strekal, G.A. Gachko, L.N. Kivach and S.A. Maskevich (Grodno, USSR) 287
Luminescence and photoconductivity studies on bonding, mobility and electronic deactivation in submonolayers and thin films of distyrylbenzene
H.-J. Egelhaaf, M. Brun, S. Reich and D. Oelkrug (Tübingen, FRG) 297
Low-temperature laser spectroscopy study of adsorbed excited intermolecular complex
O.I. Yakimova, A.M. Eremenko (Kiev, Ukraine), L.A. Bykovskaya, S.G. Kulikov (Troitsk, USSR) and A.A. Chuiko (Kiev, Ukraine) 303
Surface photochemistry: the organic charge-transfer complexes on silica
A.M. Eremenko, V.P. Kondilenko, O.I. Yakimova, V.Ya. Cherny and A.A. Chuiko (Kiev, Ukraine) 309
FT-IR spectra of ethylene molecularly adsorbed on metal oxides
G. Busca, V. Lorenzelli, G. Ramis (Genova, Italy), J. Saussey and J.C. Lavalley (Caen, France) 315
Raman spectra of ethane and ethylene adsorbed on surface of catalyst Sm_2O_3/MgO at high temperatures
A.V. Bobrov, S.E. Plate, A.A. Kadushin, Ya.M. Kimel'feld, V.A. Seleznev and Yu.P. Tulenin (Moscow, Russia) 331
IR spectroscopic study of H_2O influence on SO_2 adsorption on TiO_2 surface
A.M. Shor, A.A. Dubkov, A.I. Rubaylo, N.I. Pavlenko, O.M. Sharonova and A.G. Anshits (Krasnoyarsk, USSR) 335
Characterization of nitrided high surface γ-alumina powders
T. Merle, M.I. Baraton (Limoges, France), D. Goeuriot (Saint Etienne, France), P. Quintard (Limoges, France) and V. Lorenzelli (Genova, Italy) 341
IR and Raman study of $Si_{1-x}C_x$:H amorphous thin films
S. Lugomer, M. Ivanda, D. Gracin, K. Furić and A. Maksimović (Zagreb, Yugoslavia) 347

FT-IR spectroscopy of grafted surfaces: hydroxy- and chloro silanes onto silicon nitride
M.I. Baraton (Limoges, France), N. Jaffrezic (Ecully, France) and P. Quintard (Limoges, France) 353
Ion plating deposits of boron nitride, a FT-IR structural characterization
M.I. Baraton, F. Verinaud, J. Machet and P. Quintard (Limoges, France) 359
Asymmetric stretching vibration of CO_2 occluded in halogen salts of alkaline metals
M.H. Jamróz, J.Cz. Dobrowolski and M. Glice (Warsaw, Poland) 365
Pyrolysis GC/FID/FT-IR, pyrolysis GC/MS, and FT-IR studies of pore water extracts derived from peat samples differing in depositional environments
W.M. Zunic, S. Ding, J.R. Durig and A.D. Cohen (Columbia, SC, USA) 371
Spectrophotometric study of chelating equilibria of 1,8-dihydroxy-2(imidazole-2-ylazo)naphthalene-3,6-disulphonic acid with Pd(II), Cu(II) and Ni(II)
V. Vasić, S. Sovilj, A. Muk (Belgrade, Yugoslavia) and M.M. Reichstat (Moscow, USSR) 377
^{1}H NMR spectra and internal rotation of the OH-group in 2,6-bis-(diethylaminomethyl)-phenols
B. Brzezinski (Poznán, Poland), G.S. Denisov, N.S. Golubev and S.N. Smirnov (Leningrad, USSR) 383
Long-range deuterium isotope effects in ^{13}C NMR spectra of adamantane and 2-adamantanone
K. Mlinarić-Majerska, V. Vinković, Z. Meić (Zagreb, Yugoslavia), P.G. Gassman and L.J. Chyall (Minneapolis, MN, USA) 389
Molecular structure of aryloxychlorophosphoranes as studied by NQR spectroscopy
I.A. Kjuntsel (Perm, USSR), E.S. Kozlov (Kiev, USSR) and G.B. Soifer (Perm, USSR) 395
NMR study of phosphatidylcholine hydration in relation to its state of aggregation in $CDCl_3$
A. Kovač, J. Kidrič and D. Hadži (Ljubljana, Slovenia) 399
^{13}C NMR spectra of some symmetrically 2,2′-disubstituted stilbenes: conjugational and conformational effects
D. Vikić-Topić (Bethesda, MD, USA), M. Mintas and N. Raos (Zagreb, Croatia) 405
Substituent effects on the carbon-13 chemical shifts in α-phenylpyridylacrylic acids
B.Ž. Jovanović, M. Mišić-Vuković, V.E. Vajs (Belgrade, Yugoslavia) and J.J. Čanadi (Novi Sad, Yugoslavia) 411
^{1}H NMR spectra of complexing of B, Al and Li alkoxides in solution
Z.T. Dmitrieva, S.V. Sosnina and N.G. Mezhibor (Tomsk, USSR) 415
Infrared study of the polymorphism of 4,4′-di-*n*-butyloxyazoxy-benzene
R.K. Bamezai, M. Godlewska (Krakow, Poland), A. Kocot (Katowice, Poland) and J. Sciesinski (Krakow, Poland) 423
Surface species on a submicronic boron nitride powder—a starting FT-IR characterization
M.I. Baraton, T. Merle, P. Quintard (Limoges, France) and V. Lorenzelli (Genova, Italy) 429

Author Index Volumes 266 and 267 435
Subject Index Volumes 266 and 267 439